

SCHOOL	VIOLATION	DISHWASHER	RODENTS	OTHER	DATE
Gracemount Elementary	yes			no handwashing sign	5/26/2006
Gracemount Elementary	yes		yes		10/17/2005
Gracemount Elementary	yes			light shields needed	5/3/2005
Joseph Landis	no				6/7/2006
Joseph Landis	no				11/9/2005
Joseph Landis	no				5/10/2005
Robert Jamison	yes		yes		9/7/2006
Robert Jamison	no				10/11/2005
Robert Jamison	no				5/3/2005
Robert Jamison	no				1/26/2005
John F Kennedy	yes			repair hood ventilation	11/30/2005
John F Kennedy	yes			mildew in freezer	5/24/2005
Whitney Young	yes			cooling unit leaks	11/14/2005
Whitney Young	yes			repair warmer	5/24/2005
Charles Lake	no				10/14/2005
Charles Lake	no				4/12/2005
Woodland Hills	no				9/27/2005
Woodland Hills	no				6/1/2005
Iowa Maple Elementary	yes			no valid license	5/17/2006
Iowa Maple Elementary	no				9/28/2005
Iowa Maple Elementary	no				4/15/2005
Adlai Stevenson	no				Oct-05
Adlai Stevenson	yes			repair hand sink	5/24/2005
Stephen E. Howe	yes			provide sanitizer test kit	8/8/2006
Stephen E. Howe	no				4/13/2005
Fullerton	yes			thermometers needed	6/1/2006
Fullerton	no				11/14/2005
Fullerton	no				5/11/2005
Euclid Park	yes			no handwashing sink	6/6/2006
Euclid Park	no				10/17/2005
Euclid Park	no				4/11/2005
Hanna Gibbons	no				3/25/2004
Patrick Henry	yes			light shields needed	3/7/2006
Patrick Henry	yes			light shields needed	10/3/2005
Patrick Henry	yes			light shields needed	5/2/2005
Harry E. Davis	no				6/7/2006

Harry E. Davis	yes	clean floors	11/4/2005
Harry E. Davis	no		4/7/2005
Buckeye-Woodland	no		10/19/2005
Buckeye-Woodland	no		5/16/2005
Buckeye-Woodland	no		1/25/2005
Corlett Elementary	no		5/23/2005
Harvey Rice	no		4/18/2005
Mary B. Martin	yes	no paper towels	8/21/2006
Mary B. Martin	no		4/25/2005
South High	yes	replace ceiling tiles	6/28/2006
South High	no		12/13/2005
South High	no		6/7/2005
Louis Pasteur	yes	light shields needed	11/9/2005
Louis Pasteur	yes	light shields needed	6/1/2005
Louis Pasteur	no		1/25/2005
Louis Pasteur	no		6/2/2006
Franklin D. Roosevelt	yes	no valid license	5/25/2005
Charles Orr	no		11/4/2005
Charles Orr	no		4/15/2005
Charles Orr	no		1/25/2005
Charles Elliot	yes	sanitizers not marked	4/24/2006
Charles Elliot	yes	wiping cloths on prep tables	10/4/2005
Charles Elliot	yes	Milk Cooler too warm	5/11/2005
Miles School	no		5/22/2006
Miles School	no		10/13/2005
Miles School	no		5/24/2005
Audubon	yes	repair cold water at sinks	11/10/2005
Audubon	no		5/20/2005
Nathan Hale	yes	repair ceilings	11/10/2005
Nathan Hale	yes	light shields needed	
Nathan Hale	no		1/31/2005
Mound Elementary	no		8/31/2006
Mound Elementary	no		4/23/2006
Mound Elementary	no		11/1/2005
Mound Elementary	yes	repair plaster	3/4/2005
Mary Bethune	yes	repair sink	8/21/2006
Mary Bethune	no		3/17/2005

Bolton Elementary	no		10/26/2005
Bolton Elementary	no		4/5/2005
Empire Computech	yes	repair damaged floor	10/17/2005
Empire Computech	no		6/7/2006
Empire Computech	yes	provide sneeze guards	5/10/2005
Empire Computech	no		1/27/2005
Sunbeam	yes	thermometers needed	11/2/2005
Sunbeam	yes	clean floors	5/16/2005
Sunbeam	no		1/25/2005
Mt. Auburn	no		5/20/2005
Union Elementary	yes	replace damaged ceiling	5/13/2006
Union Elementary	no		9/27/2005
Union Elementary	no		5/2/2005
A.J. Rickoff School	yes	Employee not using gloves	5/24/2006
A.J. Rickoff School	no		12/1/2005
A.J. Rickoff School	no		10/31/2005
A.J. Rickoff School	no		9/27/2005
A.J. Rickoff School	no		4/4/2005
Wade Park	no		10/12/2005
Wade Park	no		5/13/2005
Paul Revere	yes	dust accumulation	5/26/2006
Paul Revere	yes	thermometers needed	9/20/2005
Paul Revere	yes	light shields needed	4/15/2005
O.H. Perry Elementary	no		6/2/2006
O.H. Perry Elementary	no		11/17/2005
O.H. Perry Elementary	no		6/3/2005
Collinwood High School	yes	hand washing sign needed	6/5/2006
Collinwood High School	yes	light shields needed	12/6/2005
Collinwood High School	yes	replace non working lights	6/6/2005
Collinwood High School	no		1/27/2005
Cleveland School of Arts	no		11/15/2005
Cleveland School of Arts	no		6/7/2005
Anton Grdina	no		10/13/2005
Anton Grdina	yes	hot water below 100 degree	5/19/2005
East High School	yes	cover waste receptacles	12/1/2005
East High School	no		6/6/2005
A.B. Hart Middle School	yes	dirty can openers	5/31/2006

A.B. Hart Middle School	no		11/16/2005
A.B. Hart Middle School	no		4/19/2005
Giddings Elementary	no		11/18/2005
Giddings Elementary	no		5/13/2005
M.L..K. High	yes	cover waste receptacles	5/10/2006
M.L..K. High	yes	Clean dirt and dust	12/7/2005
M.L..K. High	yes	repair hood ventilation	6/3/2005
Margaret Ireland	yes	light shields needed	11/8/2005
Margaret Ireland	no		5/3/2005
Dike Montessori	no		11/28/2005
East Tech	no		12/8/2005
East Tech	yes	repair ceilings	6/3/2005
George Washington Carver	yes	thermometers needed	9/15/2005
George Washington Carver	yes	hot water below 100 degree	9/14/2005
Kenneth W. Clement	no		4/13/2005
Central	yes	cover waste receptacles	1/17/2006
Central	yes	cover waste receptacles	9/15/2005
Captain Arthur Roth	yes	no valid license	5/11/2006
Captain Arthur Roth	yes	thermometers needed	9/9/2005
Captain Arthur Roth	yes	repair exhaust fan	3/14/2005
Alexander Graham Bell	no		5/23/2006
Alexander Graham Bell	no		11/2/2005
Alexander Graham Bell	no		5/6/2005
John D. Rockefeller	yes	provide sanitizer test kit	5/10/2006
John D. Rockefeller	yes	thermometers needed	11/8/2005
John D. Rockefeller	yes	light shields needed	5/16/2005
Jesse Owens Academy	no		11/2/2005
Jesse Owens Academy	no		5/6/2005
Harvey Rice	no		5/24/2006
Margaret Spellacy	no		6/2/2006
Margaret Spellacy	yes	remove grease vat	9/21/2005
Margaret Spellacy	no		4/20/2005
Emile Desauzo	no		10/17/2005
Emile Desauzo	no		3/11/2005
East Clark	no		4/7/2005
Memorial School	no		5/12/2006
Memorial School	yes	no hand towels	8/29/2005

Moses Cleveland	yes	repair ceiling tiles	6/2/2006
Moses Cleveland	no		10/17/2005
Moses Cleveland	no		5/23/2005
Henry W. Longfellow	yes	no valid license	5/31/2006
Henry W. Longfellow	yes	no handwashing sink	10/25/2005
Henry W. Longfellow	no		4/6/2005
Charles Dickens	yes	thermometers needed	6/6/2006
Charles Dickens	no		10/18/2005
Charles Dickens	no		4/19/2005
Alexander Hamilton	yes	repair hand sink	5/23/2005
Glenville High School	yes	hot water below 100 degree	5/30/2006
Glenville High School	yes	clean ventilation system	6/2/2005
Forest Hills Parkway	no		1/17/2006
Forest Hills Parkway	yes	thermometers needed	10/20/2005
Miles Park	no		6/2/2005
Daniel Morgan	no		10/12/2005
Daniel Morgan	no		4/5/2005
Michael R. White	no		11/15/2005
Michael R. White	no		5/6/2005
John W. Raper	yes	hot water below 100 degree	9/2/2005
John W. Raper	no		4/28/2005
Orchard Elementary	no		4/26/2006
Orchard Elementary	no		10/26/2005
Orchard Elementary	no		5/2/2005
Louisa Mae Alcott	no		4/25/2006
Louisa Mae Alcott	no		11/1/2005
Louisa Mae Alcott	no		3/24/2005
James Rhodes	yes	light shields needed	10/14/2005
James Rhodes	yes	holding warmers needed	1/5/2005
Scranton Elementary	no		9/30/2005
Scranton Elementary	no		1/27/2005
Louis Agasiz Elementary	yes	hot water below 100 degree	6/2/2006
Louis Agasiz Elementary	no		11/16/2005
Louis Agasiz Elementary	no		4/15/2005
Buhrer School	no		11/9/2005
Buhrer School	no		5/10/2005
Marion Sterling	no		10/24/2005

Marion Sterling	yes		thermometers needed	9/15/2006
Marion Sterling	no			5/9/2005
Lincoln Intermediate	yes		broken plug	2/10/2006
Luis Munoz	no			11/10/2005
Clark Elementary	no			10/17/2005
Clark Elementary	no			4/8/2005
Benjamin Franklin	no			10/11/2005
Benjamin Franklin	no			3/10/2005
Max Hayes	yes		repair hot holding unit	6/6/2006
Max Hayes	yes		Coolers too warm.	10/31/2005
Max Hayes	yes	yes		5/5/2005
East Tech Annex	yes		paper towels need	9/12/2005
Cleveland Arts & Sciences	no			2/28/2006
Cleveland Arts & Sciences	yes		soap and paper towels needed	11/2/2005
Joseph Gallager	no			6/5/2006
Joseph Gallager	yes		Cooler too warm	2/28/2006
Joseph Gallager	yes		Cooler too warm	11/7/2005
Willow Elementary	no			10/24/2005
Willow Elementary	no			4/11/2005
William Raney Harper	yes		repair rotted floor	10/12/2005
William Raney Harper	no			9/29/2004
William Raney Harper	no			3/18/2005
William Bryant	no			9/15/2005
Riverside School	no			6/2/2006
Riverside School	yes		lower sanitizing solution	11/21/2005
Riverside School	no			8/12/2005
Riverside School	no			5/4/2005
Charles Mooney	no			1/20/2006
Charles Mooney	yes		Cooler too warm	9/9/2005
Charles Mooney	yes		repair hot holding unit	2/22/2005
John Marshall	yes		repair exhaust fan	6/1/2006
John Marshall	yes		repair exhaust fan	2/23/2006
John Marshall	yes		light shields needed	10/27/2005
John Marshall	yes		clean milk cooler	2/24/2005
Wilbur Wright	yes		Clean exhaust hood	6/12/2006
Wilbur Wright	no			11/5/2005
Case Elementary	yes		Cooler too warm	10/18/2005

Case Elementary	no		5/9/2005
Carl Shuler	no		6/6/2006
Carl Shuler	no		2/23/2006
Carl Shuler	yes	abate fruit flies	10/10/2005
Kentucky Elementary	no		10/25/2005
Walton Elementary	no		4/26/2006
Walton Elementary	no		11/9/2005
Walton Elementary	no		5/2/2005
Garrett Morgan	no		10/25/2005
Garrett Morgan	yes	Cooler too warm	6/2/2005
Brooklawn School	no		6/16/2006
Brooklawn School	no		10/17/2005
Artemus Ward	yes	no handwashing sink	2/9/2006
Artemus Ward	no		10/5/2005
Artemus Ward	no		3/9/2005
Clara E. Westropp	yes	repair ceiling tiles	5/30/2006
Clara E. Westropp	no		1/31/2006
Clara E. Westropp	yes	repair ceiling leak	10/10/2005
Waverly	no		5/9/2006
Waverly	no		11/10/2005
Waverly	no		5/5/2005
Thomas Jefferson	no		4/6/2006
Thomas Jefferson	yes	repair leaking cooler	10/26/2005
Thomas Jefferson	no		4/18/2005
Denison School	yes	provide adequate ventilation	10/14/2005
Denison School	yes	Increase ventilation	5/13/2005
Health Careers	no		5/23/2006
Health Careers	yes	Cooler too warm	9/8/2005
Health Careers	yes	undated lunch meat	4/11/2005
Lincoln West High	no		2/11/2006
Lincoln West High	yes	undated food	11/5/2005
Jane Adams	yes	clean hood exhaust	2/27/2006
Jane Adams	yes	clean hood exhaust	9/12/2005
Paul Dunbar Elementary	no		4/5/2006
Paul Dunbar Elementary	no		11/22/2005
Paul Dunbar Elementary	no		3/10/2005
Tremont Elementary	no		4/20/2005

Newtown D. Baker	no		2/14/2005
Newtown D. Baker	yes	Sanitizing solution needed	5/26/2005
Newtown D. Baker	yes	thermometers needed	2/6/2006
Newtown D. Baker	no		4/20/2005
Jones	no		6/12/2006
Jones	yes	clean milk cooler	10/31/2005
McKinley	no		6/13/2006
McKinley	no		11/22/2005
Almira Elementary	no		6/19/2006
Almira Elementary	yes	thermometers needed	5/8/2006
Almira Elementary	yes	Cooler too warm	9/22/2005
Almira Elementary	yes	hair restraints needed	3/23/2005
Watterson Lake	no		6/6/2006
Watterson Lake	no		10/31/2005
Watterson Lake	no		5/5/2005
H. Barbara Booker	no		6/5/2006
H. Barbara Booker	no		10/11/2005
H. Barbara Booker	no		1/19/2005
Hannah Gibbons	no		1/30/2006
Hannah Gibbons	no		11/28/2005